

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

Omschrijving	MvL
<i>Abeliophyllum distichum</i>	C7,5
<i>Abies balsamea</i>	P12
<i>Abies balsamea</i> var. <i>phanerolepis</i>	P12
<i>Abies delavayi</i> var. <i>georgei</i>	C3
<i>Abies fraseri</i>	P12
<i>Abies koreana</i>	P9
<i>Abies pinsapo</i> 'Glauca'	C1,5
<i>Abies</i> 'Procekor'	C20
<i>Abies</i> 'Procekor'	C5
<i>Abies recurvata</i>	C5
<i>Abies recurvata</i> var. <i>ernestii</i>	C20
<i>Acacia melanoxylon</i>	C50
<i>Acaena magellanica</i>	P9
<i>Acer buergerianum</i>	C5
<i>Acer campestre</i> var. <i>tauricum</i>	C2
<i>Acer capillipes</i>	P9
<i>Acer cappadocicum</i> ('Aurea'-seedlings)	C25
<i>Acer carpiniifolium</i>	C100
<i>Acer carpiniifolium</i>	P11
<i>Acer cissifolium</i>	C2
<i>Acer davidii</i> ('Rosalie' seedlings)	C5
<i>Acer davidii</i> ('Rosalie'-seedling)	C2
<i>Acer discolor</i>	C5
<i>Acer griseum</i>	C5
<i>Acer griseum</i>	P9
<i>Acer japonicum</i>	C2
<i>Acer macrophyllum</i>	P7
<i>Acer miyabei</i>	C5
<i>Acer opalus</i>	C5
<i>Acer palmatum</i> (c.v.-seedlings)	C5
<i>Acer palmatum</i> (c.v.-seedlings)	P9
<i>Acer platanooides</i> (Dissectum seedlings)	C5
<i>Acer pseudosieboldianum</i> var. <i>takeshimense</i>	C2
<i>Acer rubescens</i>	C25
<i>Acer rubrum</i>	C100
<i>Acer tataricum</i> ssp. <i>aidzuense</i>	C2

# Lowgardens Nurseries & Consultancy



Ecological and energetic cultivation and advice for optimal habitat

<i>Acer tegmentosum</i>	C5
<i>Acer triflorum</i>	C25
<i>Acer triflorum</i>	C5
<i>Acer triflorum</i>	P12
<i>Acer triflorum</i>	P9
<i>Actaea racemosa</i> var. <i>cordifolia</i>	P9
<i>Actinidia kolomikta</i> 'Adam'	C1,5
<i>Afrocarpus falcatus</i>	C2
<i>Agarista populifolia</i>	C2
<i>Ageratina ligustrina</i>	C20
<i>Ageratina ligustrina</i>	P9
<i>Akebia quinata</i>	C20
<i>Albizia julibrissin</i>	P9
<i>Alchemilla alpina</i>	P9
<i>Alchornea davidii</i>	C5
<i>Alnus firma</i>	C2
<i>Alnus firma</i>	C25
<i>Alnus glutinosa</i> 'Greenwood'	C30
<i>Alnus japonica</i>	C2
<i>Alnus trabaeculosa</i>	C20
<i>Alnus trabeculosa</i>	C5
<i>Aloysia triphylla</i>	C2
<i>Althea officinalis</i>	P9
<i>Amelanchier arborea</i> 'Robin Hill'	C5
<i>Amorpha ouachitensis</i>	C5
<i>Ampelocissus rugosa</i>	P9
<i>Ampelopsis bodinierii</i>	C2
<i>Ampelopsis bodinierii</i>	C5
<i>Ampelopsis delavayana</i>	P9
<i>Ampelopsis glandulosa</i>	C5
<i>Ampelopsis glandulosa</i> var. <i>hancei</i>	C2
<i>Ampelopsis glandulosa</i> var. <i>hancei</i>	P9
<i>Ampelopsis glandulosa</i> var. <i>maximowiczii</i>	P9
<i>Ampelopsis megalophylla</i>	C1
<i>Anemone hupehensis</i>	P9
<i>Anemone leveillei</i>	P9
<i>Angelica archangelica</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Angelica gigas</i>	P9
<i>Apios americana</i>	P9
<i>Aralia cordata</i>	C2
<i>Aralia cordata</i>	P9
<i>Aralia spinosa</i>	C2
<i>Araucaria angustifolia</i>	C7,5
<i>Arbutus andrachne</i>	C7,5
<i>Arbutus unedo</i>	P11
<i>Arbutus unedo</i> 'Quercifolius'	P9
<i>Arisaema triphyllum</i>	P9
<i>Armoracia rusticana</i>	P9
<i>Aronia arbutifolia</i>	C5
<i>Aronia arbutifolia</i>	P9
<i>Aronia mitschurinii</i> 'Amit'	P9
<i>Aronia prunifolia</i> 'Nero'	C5
<i>Aronia prunifolia</i> 'Viking'	C2
<i>Asimina triloba</i>	C2
<i>Athrotaxis cupressoides</i>	P15
<i>Athrotaxis laxifolia</i>	P9
<i>Athyrium filix-femina</i>	C2
<i>Athyrium niponicum</i> 'Metallicum'	C2
<i>Athyrium otophorum</i> 'Okanum'	C2
<i>Athyrium vidalii</i>	C2
<i>Atriplex canescens</i>	P9
<i>Aucuba jap.</i> 'Salicifolia'	C2
<i>Aucuba jap.</i> 'Salicifolia'	P9
<i>Aucuba japonica</i>	P12
<i>Aucuba japonica</i>	P12
<i>Azara microphylla</i>	P9
<i>Azara microphylla</i> 'Variegata'	P9
<i>Berberidopsis corallina</i>	P9
<i>Berberis jamesiana</i>	P12
<i>Berberis sp.</i>	C5
<i>Berchemia floribunda</i>	P9
<i>Berchemia yunnanensis</i>	P9
<i>Betula alleghaniensis</i>	C5

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Betula alleghaniensis</i>	P9
<i>Betula insignis</i>	P9
<i>Betula lenta</i>	C2
<i>Betula nigra</i> 'Heritage'	C20
<i>Betula pendula</i> 'Royal Frost'	C20
<i>Betula tatewakiana</i>	C5
<i>Bischofia polycarpa</i>	P9
<i>Blechnum spicant</i>	C2
<i>Blepharocalyx cruckshanksii</i> 'Heaven Scent'	P9
<i>Boehmeria tricuspis</i>	P9
<i>Buddleja alternifolia</i> 'Argentea'	P9
<i>Buddleja auriculata</i>	P9
<i>Buddleja dav.</i> 'Santana'	P9
<i>Buddleja davidii</i> 'Wisteria Lane'	C2
<i>Buddleja japonica</i>	P9
<i>Buddleja lindleyana</i>	P9
<i>Buddleja nivea</i>	P9
<i>Buddleja salvifolia</i>	C10
<i>Buddleja</i> 'Silver Anniversary'	C20
<i>Buddleja stenostachya</i>	C2
<i>Buddleja stenostachya</i>	P9
<i>Bursaria spinosa</i>	P9
<i>Buxus semp.</i> 'King Midas'	C1,5
<i>Buxus sempervirens</i> var. <i>insularis</i>	C2
<i>Buxus sempervirens</i> var. <i>insularis</i>	P9
<i>Callicarpa cathayana</i>	C2
<i>Callicarpa cathayana</i>	C5
<i>Callicarpa dichotoma</i>	C2
<i>Callicarpa dichotoma</i> 'Albibacca'	C2
<i>Callicarpa japonica</i>	C5
<i>Callicarpa japonica</i>	P9
<i>Callicarpa japonica</i> 'Leucocarpa'	P9
<i>Callicarpa japonica</i> 'You Who'	P9
<i>Callicarpa kwantungensis</i>	P9
<i>Callicarpa membranacea</i>	P9
<i>Callistemon subulatus</i>	P9
<i>Calycanthus floridus</i>	C2

# Lowgardens Nurseries & Consultancy



**Ecological and energetic cultivation and advice for optimal habitat**

<i>Calycanthus floridus</i>	C3
<i>Calycanthus floridus</i>	P9
<i>Camellia jap.</i> 'Alba Simplex'	P9
<i>Camellia sasanqua</i> 'Narumi-gata'	P9
<i>Carex plantaginea</i>	C25
<i>Carpinus betulus</i> 'Rockhampton Red'	C5
<i>Carpinus caroliniana</i>	C1,5
<i>Carpinus cordata</i>	C25
<i>Carpinus coreana</i>	C2
<i>Carpinus fargesiana</i>	C2
<i>Carpinus henryana</i>	
<i>Carpinus henryana</i>	P9
<i>Carpinus japonica</i>	C2
<i>Carpinus japonica</i>	C25
<i>Carpinus japonica</i>	P9
<i>Carpinus kawakami</i>	C5
<i>Carpinus laxiflora</i>	P9
<i>Carpinus orientalis</i>	C25
<i>Carpinus shensiensis</i>	C25
<i>Carya illinoensis</i>	C3
<i>Carya illinoensis</i>	C5
<i>Carya illinoensis</i>	P11
<i>Carya ovata</i>	C5
<i>Carya ovata</i> X <i>illinoensis</i>	C5
<i>Caryopteris divaricata</i>	P9
<i>Caryopteris mongolica</i>	P9
<i>Castanea sativa</i> 'Cees Choice'	C2
<i>Castanea seguinii</i>	C25
<i>Catalpa fargesii duclouxii</i>	C25
<i>Catalpa fargesii duclouxii</i>	P9
<i>Catalpa ovata</i>	C2
<i>Catalpa ovata</i>	C5
<i>Catalpa ovata</i>	P9
<i>Catananche caerulea</i>	P9
<i>Cathaya argyrophylla</i>	
<i>Cedrus deodara</i>	C2
<i>Cedrus deodara</i>	C20

# Lowgardens Nurseries & Consultancy



Ecological and energetic cultivation and advice for optimal habitat

<i>Cedrus deodara</i>	C4
<i>Celastrus angulatus</i>	C2
<i>Cercidiphyllum japonicum</i>	C2
<i>Cercidiphyllum japonicum</i>	P9
<i>Cercis canadensis</i>	C2
<i>Cercis canadensis</i>	P9
<i>Cercis chinensis</i>	C3
<i>Cercis siliquastrum</i>	P9
<i>Cestrum parqui</i>	P9
<i>Chaenomeles cathayensis</i>	C20
<i>Chaenomeles cathayensis</i>	P9
<i>Chaenomeles</i> sup. 'Barefoot Surprise'	C5
<i>Chaenomeles</i> sup. 'Barefoot Surprise'	P9
<i>Chamaemelum nobile</i> 'Treneague'	P9
<i>Chiastophyllum oppositifolium</i>	P9
<i>Chimonanthus nitens</i>	P9
<i>Chimonanthus praecox</i>	C2
<i>Chimonanthus praecox</i>	P9
<i>Chionanthus retusus</i>	C5
<i>Chitalpa tashkentensis</i> 'Morning Cloud'	C2
<i>Chitalpa tashkentensis</i> 'Morning Cloud'	P9
<i>Cichorium intybus</i>	P9
<i>Cladrastis kentuckea</i>	P9
<i>Clematis</i> sp. ex. Taiwan	C5
<i>Clematis</i> sp. ex.taiwan	C25
<i>Clerodendrum trichotomum</i>	C3
<i>Clethra alnifolia</i>	P9
<i>Clethra alnifolia</i> 'Pink Spire'	C2
<i>Clethra alnifolia</i> 'Pink Spire'	P9
<i>Clethra arborea</i>	C20
<i>Clethra arborea</i>	P9
<i>Clethra barbinervis</i>	C2
<i>Clethra barbinervis</i>	C20
<i>Clethra barbinervis</i>	C5
<i>Clethra delavayi</i>	P9
<i>Clethra hybride</i> seedling	C5
<i>Clethra tomentosa</i> 'Cottdale'	P11

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Cleyera japonica</i> 'Variegata'	P9
<i>Clianthus puniceus</i> var. <i>roseus</i>	P12
<i>Clianthus puniceus</i> var. <i>roseus</i>	P9
<i>Colutea orientalis</i>	C2
<i>Comanthosphace dependens</i>	C2
<i>Comanthosphace dependens</i>	P9
<i>Comptonia peregrina</i>	C5
<i>Convolvulus mauritanicus</i>	P9
<i>Cornus amomum</i>	C5
<i>Cornus canadensis</i>	P9
<i>Cornus capitata</i>	C25
<i>Cornus controversa</i>	C5
<i>Cornus controversa</i>	C5
<i>Cornus darvasica</i>	P9
<i>Cornus florida</i>	P9
<i>Cornus kousa</i> 'Cappucino'	P11
<i>Cornus kousa</i> 'Re Tivano'	P11
<i>Cornus kousa</i> 'Saudade'	C20
<i>Cornus mas</i>	P9
<i>Cornus officinalis</i>	P9
<i>Cornus pumila</i>	P9
<i>Cornus quinquenervis</i>	P9
<i>Cornus racemosa</i>	C20
<i>Cornus racemosa</i>	C5
<i>Cornus sanguinea</i> 'Compressa'	P9
<i>Cornus stricta</i>	C5
<i>Correa</i> 'Marian's Marvel'	P9
<i>Corylopsis multiflora</i>	C2
<i>Corylopsis multiflora</i>	C20
<i>Corylopsis multiflora</i>	P9
<i>Corylopsis spicata</i>	P9
<i>Corylopsis willmottiae</i>	P9
<i>Corylus colurna</i>	C2
<i>Corylus colurnoides</i> select	C2
<i>Corylus colurnoides</i> select	C5
<i>Corylus colurnoides</i> select.	P11
<i>Corylus fargesii</i>	C7,5

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Corylus tibetica</i>	C5
<i>Cotinus dummeri</i> 'Grace'	P9
<i>Cotinus obovatus</i>	C1,5
<i>Cotoneaster buxifolius</i>	P9
<i>Cotoneaster delavayanum</i>	P9
<i>Cotoneaster delavayanus</i>	C5
<i>Cotoneaster lidjiangensis</i>	P9
<i>Cotoneaster vandelaarii</i>	C2
<i>Cotoneaster vandelaarii</i>	C5
<i>Cotoneaster vandelaarii</i>	P9
<i>Cotula hispida</i>	P9
<i>Crataegus mollis</i>	C25
<i>Crataegus phaenopyrum</i>	C25
<i>Crataegus pubescens stipulacea</i>	C20
<i>Crataemespilus gilliiottii</i>	C25
<i>Crinodendron patagua</i>	C2
<i>Crinodendron patagua</i>	C20
<i>Cryptomeria jap.</i> 'Elegans Aurea'	C2
<i>Cryptomeria japonica</i>	C2
<i>Cryptomeria japonica</i>	C25
<i>Cryptomeria japonica</i> 'Rifnik'	P9
<i>Cryptomeria japonica</i> 'Top Gold'	P9
<i>Cunninghamia konishii</i>	P12
<i>Cunninghamia lanceolata</i>	C1,5
<i>Cupressus arizonica</i> var. <i>glabra</i>	P9
<i>Cupressus cashmeriana</i> 'Blue Wave'	C2
<i>Cupressus cashmeriana</i> 'Blue Wave'	C60
<i>Cupressus duclouxiana</i>	C20
<i>Cupressus funebris</i>	P9
<i>Cyclamen coum</i>	P9
<i>Cyclocarya paliurus</i>	C25
<i>Cynara scolymus</i>	P9
<i>Cyrtomium falcatum</i>	C2
<i>Cyrtomium fort.</i> <i>clivicola</i>	C2
<i>Cytisus battandieri</i>	C2
<i>Dacrydium franklinii</i>	P9
<i>Daphniphyllum macropodum</i>	C5



# Lowgardens Nurseries & Consultancy



Ecological and energetic cultivation and advice for optimal habitat

<i>Daphniphyllum macropodum</i>	P9
<i>Daphniphyllum macropodum</i>	P9
<i>Darmera peltata</i>	P9
<i>Davidia involucrata</i>	C2
<i>Davidia involucrata</i>	P9
<i>Debregeasia edulis</i>	P9
<i>Decaisnea fargesii</i>	C25
<i>Decaisnea fargesii</i>	P9
<i>Decumaria barbara</i>	C2
<i>Decumaria barbara</i>	P9
<i>Desfontainia spinosa</i>	P9
<i>Desmodium canadense</i>	C2
<i>Desmodium canadense</i>	P9
<i>Desmodium elegans</i>	P9
<i>Deutzia chunii</i>	C5
<i>Deutzia crenata</i>	C2
<i>Deutzia crenata</i>	C5
<i>Deutzia crenata</i> 'Nimue'	P9
<i>Deutzia hybrida</i> 'Joconde'	P9
<i>Deutzia hybrida</i> 'Strawberry Fields'	C5
<i>Deutzia hybrida</i> (o.a. met <i>D.chunii</i> /schneideriana)	C1,5
<i>Deutzia longifolia</i>	C5
<i>Deutzia magnifica</i> 'Erecta'	P9
<i>Deutzia ningpoensis</i>	C2
<i>Deutzia ningpoensis</i>	C5
<i>Deutzia pulchra</i>	C5
<i>Deutzia pulchra</i> 'Fidel'	C3
<i>Deutzia scabra</i> 'Full Pull'	P9
<i>Deutzia scabra</i> 'Pride of Rochester'	P9
<i>Deutzia scabra</i> 'Punctata'	P9
<i>Deutzia schneideriana</i>	C2
<i>Dierama pulcherrimum</i>	P9
<i>Diospyros kaki</i>	C2
<i>Diospyros kaki</i>	C20
<i>Diospyros kaki</i>	P9
<i>Diospyros lotus</i>	C2
<i>Diospyros lotus</i>	P9

# Lowgardens Nurseries & Consultancy



**Ecological and energetic cultivation and advice for optimal habitat**

<i>Diospyros virginiana</i>	C2
<i>Dipelta floribunda</i>	P9
<i>Dipelta ventricosa</i>	C25
<i>Dipelta ventricosa</i>	C4
<i>Dipelta yunnanensis</i>	P9
<i>Dipsacus fullonum</i>	P9
<i>Dipteronia sinensis</i>	P9
<i>Distylium buxifolium</i>	P9
<i>Distylium racemosum</i>	P9
<i>Dodartia orientalis</i>	P9
<i>Dryopteris</i> af. 'Crispa'	C2
<i>Dryopteris</i> af. 'Crist. The King'	C2
<i>Dryopteris affinis</i>	C2
<i>Dryopteris erythrosora</i> 'Prolifica'	C2
<i>Dryopteris</i> f.-m. 'Lin. Polydactyl'	C2
<i>Dryopteris filix-mas</i>	C2
<i>Dryopteris wallichiana</i>	C2
<i>Echinacea</i> purp. 'Summercloud'	P9
<i>Echinops bannaticus</i>	P9
<i>Edgeworthia chrysantha</i>	P9
<i>Edgeworthia chrysantha</i> 'Grandiflora'	P13
<i>Elaeagnus multiflora</i>	C2
<i>Elaeagnus multiflora</i>	P9
<i>Elaeagnus multiflora</i>	P9
<i>Elaeagnus</i> 'Quick Silver'	P9
<i>Elaeagnus umbellata</i>	C2
<i>Elaeagnus umbellata</i>	C25
<i>Elaeagnus umbellata</i>	C5
<i>Elaeagnus umbellata</i> 'Sweet 'n Tart'	P9
<i>Elaeagnus umbellata</i> 'Sweet 'n Tart'	P9
<i>Eleutherococcus senticosus</i>	C2
<i>Eleutherococcus senticosus</i>	C25
<i>Eleutherococcus setchuanensis</i>	C5
<i>Eleutherococcus setchuanensis</i>	C5
<i>Eleutherococcus sieboldianus</i>	C2
<i>Eleutherococcus sieboldianus</i>	P9
<i>Eleutherococcus sieboldianus</i> 'Variegatus'	C2

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

Eleutherococcus sieboldianus 'Variegatus'	P9
Eleutherococcus sp. 24016	
Enkianthus cernuus rubens	P11/P12
Enkianthus perulatus	P9
Ephedra minuta	P9
Epimedium pinnatum colchicum	P9
Epimedium vers. 'Sulphureum'	P9
Eriobotrya japonica 'Golden Nugget'	C2
Eucalyptus coccifera	C25
Eucalyptus coccifera	C5
Eucalyptus dalrympleana	C5
Eucalyptus dalrympleana	P9
Eucalyptus gunnii	C5
Eucalyptus johnstonii	C5
Eucalyptus niphophila	C5
Eucalyptus rodwayi	C20
Eucalyptus rodwayi	C5
Eucalyptus rodwayi	P9
Eucalyptus urnigera	C5
Eucalyptus urnigera	P9
Eucryphia cordifolia	P9
Eucryphia intermedia 'Rostrevor'	C2
Eucryphia nymansensis 'Nymansay'	P9
Euonymus americanus	P9
Euonymus clivicolus	C2
Euonymus clivicolus	P9
Euonymus echinatus	C2
Euonymus echinatus	P9
Euonymus fort. 'Wolong Ghost'	P9
Euonymus hamiltonianus	C2
Euonymus hamiltonianus	C5
Euonymus hamiltonianus	P9
Euonymus hamiltonianus ssp. sieboldianus	P9
Euonymus jap. 'Green Rocket'	C5
Euonymus japonicus 'Green Rocket'	P9
Euonymus myrianthus	P9
Euonymus nanus turkestanicus	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Euonymus oxyphyllus</i>	P9
<i>Euonymus phellomanus</i>	P9
<i>Euonymus planipes</i>	C2
<i>Euonymus planipes</i>	P9
<i>Euonymus verrucosus</i>	C20
<i>Exochorda racemosa</i>	C1,5
<i>Fabiana imbricata</i>	P9
<i>Fagus orientalis</i> 'Iskander'	C20
<i>Fagus sylv.</i> 'Pendula'	C50
<i>Fagus sylv.</i> 'Tortuosa Purpurea'	C100
<i>Fagus sylvatica</i> (C.V.-seedlings) 25	C2
<i>Ficus carica</i> 'Rouge de Bordeaux'	P9
<i>Foeniculum vulgare</i> 'Purpureum'	P9
<i>Forsythia giraldiana</i>	C5
<i>Forsythia japonica</i> var. <i>saxatilis</i>	P9
<i>Forsythia</i> sp.	C3
<i>Fragaria ananassa</i> 'Framberry'	P9
<i>Fragaria ananassa</i> 'Pineberry Snow White'	P9
<i>Fraxinus angustifolia</i>	C20
<i>Fraxinus exc.</i> 'Crispa'	C20
<i>Fraxinus exc.</i> 'Hulsdonk'	C20
<i>Fraxinus exc.</i> 'Hulsdonk'	C35
<i>Fraxinus exc.</i> 'Hulsdonk'	C5
<i>Fraxinus ornus</i>	1+0
<i>Fraxinus xanthoxyloides</i>	C4
<i>Galium odoratum</i>	P9
<i>Galvezia speciosa</i>	P9
<i>Gardenia jasminoides</i> 'Kleim's Hardy'	P9
<i>Garrya elliptica</i>	P9
<i>Gelsemium sempervirens</i>	P9
<i>Ginkgo biloba</i>	C2
<i>Ginkgo biloba</i>	C25
<i>Ginkgo biloba</i> 'Tubilifolia'	C2
<i>Gleditsia ferox</i>	C20
<i>Gleditsia triacanthos</i>	C10
<i>Glycyrrhiza glabra</i>	C2
<i>Glycyrrhiza glabra</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Glycyrrhiza yunnanensis</i>	C2
<i>Glycyrrhiza yunnanensis</i>	C5
<i>Glyptostrobus lineatus</i>	C2
<i>Glyptostrobus lineatus</i> 'Wooly Mammoth'	C2
<i>Gomphostigma virgatum</i>	P9
<i>Gordonia axillaris</i>	C2
<i>Gordonia axillaris</i>	P9
<i>Gymnocladus dioica</i>	C2
<i>Hakea salicifolia</i>	C25
<i>Halesia carolina</i>	C3
<i>Halesia carolina</i>	P9
<i>Halesia monticola</i>	P9
<i>Halocarpus bidwillii</i>	P9
<i>Hamamelis intermedia</i>	P9
<i>Hamamelis virginiana</i>	C5
<i>Hedera helix</i> 'Dyinii'	P9
<i>Helianthus tuberosus</i>	P12
<i>Helianthus tuberosus</i>	P9
<i>Helleborus foetidus</i>	P9
<i>Helleborus orientalis</i> 'Blue Lady'	P9
<i>Helwingia chinensis</i> 'Broad Leaved Form'	C20
<i>Helwingia chinensis</i> 'Broad Leaved Form'	P9
<i>Helwingia hymalaica</i>	P9
<i>Helwingia japonica</i>	C25
<i>Hemiptelea davidii</i>	C2
<i>Hemiptelea davidii</i>	P9
<i>Hibiscus syriacus</i>	P9
<i>Hippophae rhamnoides</i> 'Hergo'	C2
<i>Hippophae rhamnoides</i> 'Hergo'	C25
<i>Hippophae rhamnoides</i> 'Hergo'	C5
<i>Hoheria sexstylosa</i> 'Stardust'	C50
<i>Holodiscus discolor</i>	C25
<i>Holodiscus discolor</i>	C5
<i>Hovenia dulcis</i>	C2
<i>Hovenia dulcis</i>	C25
<i>Hovenia dulcis</i>	C25
<i>Hovenia dulcis</i>	C5

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Hovenia dulcis</i>	C7,5
<i>Humulus lupulus</i> 'Aureus'	P9
<i>Hydrangea aspera</i> X <i>villosa</i> 'Anthony Bullivent'	P9
<i>Hydrangea heteromalla</i>	C2
<i>Hydrangea heteromalla</i>	C25
<i>Hydrangea heteromalla</i>	C25
<i>Hydrangea heteromalla</i>	C5
<i>Hydrangea heteromalla</i>	P9
<i>Hydrangea macr.</i> 'Bavaria'	P9
<i>Hydrangea macr.</i> 'Dolce Gipsy'	C1,5
<i>Hydrangea macr.</i> 'Ito Shiofuki Kaigan Shibori'	P9
<i>Hydrangea macr.</i> 'Komochiana Seruka'	C5
<i>Hydrangea macr.</i> 'Komochiana Seruka'	P9
<i>Hydrangea macr.</i> 'Love You Kiss'	P9
<i>Hydrangea macr.</i> 'Mariesii Lilacina'	P9
<i>Hydrangea macr.</i> 'Sweet Dreams'	C2
<i>Hydrangea macr.</i> 'Twilight'	C5
<i>Hydrangea pan.</i> 'Garnet' 10	C5
<i>Hydrangea paniculata</i>	C25
<i>Hydrangea paniculata</i>	C5
<i>Hydrangea paniculata</i>	P9
<i>Hydrangea paniculata</i> 'Garnet' 10	C2
<i>Hydrangea paniculata</i> 'Pink Diamond'	C5
<i>Hydrangea serrata</i> 'Odoriko Amacha'	P9
<i>Hydrangea serrata</i> 'Ramis Pictis'	P9
<i>Hydrangea serrata</i> var. <i>yezoensis</i>	P9
<i>Hymenanchera angustifolia</i>	P9
<i>Hymenanchera crassifolia</i>	P9
<i>Hypericum chinense</i>	P9
<i>Hypericum kouytchense</i>	C5
<i>Hypericum kouytchense</i>	P9
<i>Hypericum monogynum</i>	P9
<i>Hypericum</i> 'Rowallane'	C5
<i>Hyssopus officinalis</i>	P9
<i>Ilex aquif.</i> 'Elly'	C20
<i>Ilex aquif.</i> 'Elly'	C5
<i>Ilex crenata</i> (seedlings)	C2

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Ilex crenata</i> 'Dwarf Pagoda'	C1,5
<i>Ilex crenata</i> 'Dwarf Pagode'	C2
<i>Ilex crenata</i> 'Jelena'	C5
<i>Ilex meserveae</i> 'Little Rascal'	P9
<i>Ilex serrata</i>	C25
<i>Ilex verticillata</i> (seedlings)	C2
<i>Illicium anisatum</i>	P9
<i>Illicium oligandrum</i>	P9
<i>Indigofera dielsianus</i>	C2
<i>Indigofera dielsianus</i>	P9
<i>Indigofera himalayensis</i> 'Silk Road'	C2
<i>Indigofera himalayensis</i> 'Silk Road'	P9
<i>Indigofera</i> 'Lake Mountains'	P9
<i>Indigofera potaninii</i>	C5
<i>Indigofera potaninii</i>	P9
<i>Iris sibirica</i>	P9
<i>Itea ilicifolia</i>	P9
<i>Jasminum humile</i>	C2
<i>Jasminum humile</i>	P9
<i>Jasminum nitidum</i> 'Angel Wing'	P9
<i>Jasminum officinale</i>	P9
<i>Jasminum stephanense</i>	P9
<i>Juglans ailantifolia cordiformis</i>	P11
<i>Juglans cathayensis</i>	C25
<i>Juglans nigra</i>	C2
<i>Juglans nigra</i>	P11
<i>Juglans regia</i>	C5
<i>Juglans regia</i>	C5
<i>Juglans regia</i> 'Purpurea'	C25
<i>Juniperus cedrus</i>	C20
<i>Kalopanax septemlobus</i>	C2
<i>Kalopanax septemlobus</i>	P9
<i>Koelreuteria paniculata</i>	C2
<i>Koelreuteria paniculata</i>	C5
<i>Kolkwitzia amabilis</i> 'Maradco'	P9
<i>Laburnum anagyroides alschingeri</i>	C1,5
<i>Lagerstroemia indica</i> 'Sarah's Favorite'	C25

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

Lagerstroemia 'Natchez'	P9
Lagerstroemia 'Tuskegee'	P9
Larix kaempferi	C1,5
Laurelia sempervirens	C2
Laurus nobilis	C2
Laurus nobilis X Umbellularia californica	C1,5
Lavandula ang. 'Edelweiss'	P9
Lavandula 'Richard Gray'	P9
Leitneria floridana	C1
Leitneria floridana	C25
Leptospermum nitidum	C5
Lespedeza 'Albiflora'	P9
Lespedeza davidii	C25
Leycesteria formosa 'Golden Lanterns'	P9
Ligustrum delavayanum	P9
Ligustrum ibota	C2
Ligustrum obtus. regelianum	C4
Ligustrum quihoui	C2
Ligustrum quihoui	C25
Ligustrum sinense stauntonii	P9
Ligustrum strongylophyllum	C2
Ligustrum strongylophyllum	P9
Ligustrum tschonoskii ssp. macrocarpa	C2
Ligustrum tschonoskii ssp. macrocarpa	C5
Limonium latifolium	P9
Lindera erythrocarpa	C25
Lindera reflexa	P9
Liquidambar acalycina Burgundy Flush	C50
Liquidambar styr. 'Paarl'	C20
Liriodendron tul. 'Helfort'	C25
Liriodendron tulipifera	C25
Lomatia fraseri	C30
Lomatia tinctoria	C20
Lonicera caerulea	C2
Lonicera caerulea	C2
Lonicera caerulea	C5
Lonicera caerulea 'Atut'	C2



# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Lonicera caerulea kamtschatica</i>	C2
<i>Lonicera caerulea</i> 'Kirke'	P9
<i>Lonicera demissa</i>	C2
<i>Lonicera fragrantissima</i>	P9
<i>Lonicera giraldii</i>	P9
<i>Lonicera heckrottii</i>	C2
<i>Lonicera standishii</i> 'Budapest'	P9
<i>Lonicera syringantha</i>	C2
<i>Lonicera tatar.</i> 'Hack's Red'	C25
<i>Loropetalum chinense</i> 'Black Pearl'	P12
<i>Loropetalum chinense</i> 'Black Pearl'	P7
<i>Lycium barbarum</i>	C2
<i>Lycium barbarum</i>	C25
<i>Lycium barbarum</i> 'XXL'	P9
<i>Lycium barbarum</i> 'XXL'	P9
<i>Lycium barbarum</i> 'XXL'	P9
<i>Lysionotus pauciflorus</i>	P9
<i>Maackia amurensis</i>	P9
<i>Maclura pomifera</i>	C20
<i>Maclura pomifera</i>	C5
<i>Maclura pomifera</i>	C5
<i>Magnolia decidua</i> (Manglietia)	C25
<i>Magnolia denudata</i>	C3
<i>Magnolia grandiflora</i>	C50
<i>Magnolia hybride</i> seedling	C5
<i>Magnolia kobus</i>	C25
<i>Magnolia kobus</i>	C5
<i>Magnolia macrophylla</i>	P9
<i>Magnolia macrophylla</i>	P9
<i>Magnolia obovata</i>	P9
<i>Magnolia officinalis</i> var. <i>biloba</i>	C2
<i>Magnolia platypetala</i>	C25
<i>Magnolia tripetala</i>	P9
<i>Magnolia virginiana</i>	C2
<i>Magnolia virginiana</i>	C5
<i>Magnolia wilsonii</i>	C1,5
<i>Magnolia wilsonii</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Mahonia fargesii</i>	P9
<i>Mahonia gracilipes</i>	P9
<i>Mallotus japonicus</i>	P7
<i>Malus baccata</i>	C20
<i>Malus fusca</i>	C20
<i>Malus hupehensis</i>	C2
<i>Malus hupehensis</i>	P12
<i>Malus hupehensis</i>	P9
<i>Malus rockii</i>	C5
<i>Malus rockii</i>	P9
<i>Malus sikkimensis</i>	P9
<i>Malus sp.</i>	P9
<i>Malus toringo</i> (Korean type)	C2
<i>Malus toringo</i> (Korean type)	C20
<i>Malus toringo</i> (Korean type)	C5
<i>Malus trilobata</i>	C20
<i>Malus tschonoskii</i>	C5
<i>Malus X 'Coccinella'</i>	P9
<i>Malus yunnanensis</i>	P9
<i>Manoao colensoi</i>	P9
<i>Matteuccia struthiopteris</i>	C2
<i>Melaleuca thymifolia</i>	P9
<i>Meliosma dillenifolia</i> var. <i>cuneifolia</i>	C5
<i>Metasequoia glyptostroboides</i>	C20
<i>Metasequoia glyptostroboides</i> 'Blue-Isch'	C20
<i>Metasequoia glyptostroboides</i> 'Matthaei Broom'	C25
<i>Metasequoia honshuanensis</i>	C25
<i>Metasequoia honshuanensis</i>	C5
<i>Microstrobos fitzgeraldii</i>	P9
<i>Microstrobos niphophilus</i>	P9
<i>Miscanthus transmorrisonensis</i>	C5
<i>Monarda 'Jacob Cline'</i>	P9
<i>Morus nigra</i>	P9
<i>Muehlenbeckia complexa</i>	P9
<i>Mukdenia rossii</i> 'Karasuba'	P9
<i>Myrceugenia leptospermoides</i>	C1,5
<i>Myrceugenia leptospermoides</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Myrceugenia parvifolia</i>	P9
<i>Myrica gale</i>	C2
<i>Myrica gale</i>	C5
<i>Myrica pensylvanica</i>	P9
<i>Myrsine africana</i>	C2
<i>Myrsine africana</i>	C3
<i>Myrsine africana</i>	P9
<i>Myrsine semiserrata</i>	C20
<i>Myrsine semiserrata</i>	P9
<i>Nandina domestica</i> 'Obsessed'	P9
<i>Neillia rubiflora</i>	C10
<i>Neillia rubiflora</i>	C2
<i>Neillia rubiflora</i>	C25
<i>Neillia rubiflora</i>	P9
<i>Neoshirakia japonica</i>	C25
<i>Neoshirakia japonica</i>	P9
<i>Nerium oleander</i>	C25
<i>Nyssa aquatica</i>	P9
<i>Oemleria cerasiformis</i>	C5
<i>Olearia nummulariifolia</i> 'Rifnik'	P9
<i>Ophiopogon</i> jap. 'Minor'	P7
<i>Origanum vulgare</i>	P9
<i>Orixa japonica</i> 'Variegata'	C2
<i>Osmanthus armatus</i>	P9
<i>Osmanthus delavayi</i> ssp. <i>latifolium</i>	P9
<i>Osmanthus fragrans</i> 'Variegata'	P9
<i>Osmanthus</i> het. 'Rotundifolius'	P9
<i>Osmanthus heterophyllus</i> 'Sasaba'	P9
<i>Osmunda regalis</i>	C2
<i>Ostrya carpinifolia</i>	P9
<i>Paederia scandens</i>	P9
<i>Paeonia lutea</i>	P9
<i>Parahebe mutabilis</i>	P9
<i>Parahebe mutabilis</i>	P9
<i>Parrotia persica</i> 'Felice'	P9
<i>Parrotia persica</i> 'Persian Spire'	P9
<i>Parrotia persica</i> 'Vanessa'	C50

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Parthenocissus henryana</i>	C2
<i>Parthenocissus himalayana</i>	P9
<i>Paulownia fargesii</i>	C5
<i>Paulownia kawakami</i>	C25
<i>Periploca graeca</i>	P9
<i>Persicaria campanulata</i>	P9
<i>Phellodendron amurense</i>	C20
<i>Philadelphus</i> 'Bouquet Blanc'	C5
<i>Philadelphus</i> coron. 'Aureus'	C2
<i>Philadelphus delavayi</i>	P9
<i>Philadelphus</i> 'Innocence'	P9
<i>Philadelphus microphyllus</i>	P9
<i>Philadelphus purpurascens</i>	C5
<i>Philadelphus purpurascens</i>	P9
<i>Philadelphus satsumi</i>	P9
<i>Photinia beauverdiana</i> var. <i>notabilis</i>	P9
<i>Photinia villosa</i>	C5
<i>Photinia villosa</i>	C5
<i>Photinia villosa</i>	P9
<i>Photinia villosa</i> var. <i>zollingeri</i>	C20
<i>Phyllanthus glaucus</i>	P9
<i>Phyllocladus trichomanoides</i> var. <i>alpinus</i>	P9
<i>Physalis peruviana</i>	P9
<i>Physocarpus</i> Magical Spring Sapphire	licentie
<i>Physocarpus amurensis</i> 'Copper Glow'	C5
<i>Physocarpus amurensis</i> 'Copper Glow'	P9
<i>Physocarpus opulif.</i> 'Center Glow'	C2
<i>Physocarpus opulif.</i> 'Center Glow'	P9
<i>Physocarpus opulif.</i> 'Dart's Gold'	C2
<i>Physocarpus opulif.</i> 'Dart's Gold'	C2
<i>Physocarpus opulif.</i> 'Little Devil'	P9
<i>Picea abies</i>	C3
<i>Picea alcoquiana</i> 'Prostrata'	C20
<i>Picea chihuahuana</i>	C25
<i>Picea crassifolia</i>	C1,5
<i>Picea glauca</i>	P12
<i>Picea glauca</i> 'Blue Star'	C20

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Picea glauca</i> 'Blue Star'	P15
<i>Picea glauca</i> var. <i>albertianum</i>	P12
<i>Picea morrisonicola</i>	C1,5
<i>Picea pungens</i> 'Iseli Foxtail'	C1,5
<i>Picea pungens</i> 'Iseli Foxtail'	C2
<i>Picea pungens</i> 'Iseli Foxtail'	C2
<i>Picea pungens</i> var. <i>glauca</i>	P7
<i>Picea rubens</i>	P12
<i>Picea sitchensis</i>	P7-P9
<i>Picea sitchensis</i> 'Sugar Loaf'	C20
<i>Picea tianshanica</i>	C20
<i>Picea tianshanica</i>	C20
<i>Pimelea drupacea</i>	P9
<i>Pinus cembra</i>	C2
<i>Pinus cembra</i>	C25
<i>Pinus contorta</i>	C2
<i>Pinus contorta</i> ssp. <i>contorta</i>	C2
<i>Pinus contorta</i> ssp. <i>latifolia</i>	P12
<i>Pinus contorta</i> ssp. <i>murrayana</i>	P15
<i>Pinus coulteri</i>	C2
<i>Pinus leucodermis</i> 'Irish Bell'	P11
<i>Pinus maximinoi</i>	P9
<i>Pinus mugo</i> 'Golden Globe'	C20
<i>Pinus patula</i>	C1,5
<i>Pinus patula</i>	C5
<i>Pinus peuce</i>	P9
<i>Pinus ponderosa</i>	P11
<i>Pinus pungens</i>	C20
<i>Pinus resinosa</i>	P15
<i>Pinus sibirica</i>	C2
<i>Pinus sibirica</i>	C20
<i>Pinus sibirica</i>	C5
<i>Pinus sudakensis</i>	C2
<i>Pinus taeda</i>	C1,5
<i>Pinus wallichiana</i>	C2
<i>Pinus wallichiana</i>	C20
<i>Pinus yunnanensis</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Pistacia chinensis</i>	P7
<i>Pittosporum parvilibum</i>	P9
<i>Pittosporum tobira</i> 'Tall 'n Tough'	P9
<i>Plagianthus divaricatus</i>	C3
<i>Plagianthus divaricatus</i>	P9
<i>Platanus orientalis</i>	C20
<i>Podocarpus</i> 'Blaze'	P9
<i>Podocarpus cunninghamia</i>	C2
<i>Podocarpus cunninghamia</i>	P9
<i>Podocarpus hallii</i>	P9
<i>Podocarpus lambertii</i>	C20
<i>Podocarpus lawrencii</i> 'Blue Gem'	P9
<i>Podocarpus nivalis</i> 'Jack's Pass'	P9
<i>Podocarpus nivalis</i> 'Kralingen'	P9
<i>Podocarpus nivalis</i> 'Trompenburg'	P9
<i>Podocarpus rumphii</i>	P9
<i>Podocarpus spinulosus</i>	C1,5
<i>Podocarpus spinulosus</i>	P9
<i>Podocarpus totara</i> 'Pendula'	P9
<i>Polygonum scoparium</i>	P9
<i>Polypodium vulgare</i>	C2
<i>Polystichum aculeatum</i>	C2
<i>Polystichum braunii</i>	C2
<i>Polystichum makinoi</i>	C2
<i>Polystichum munitum</i>	C2
<i>Polystichum polyblepharum</i>	C2
<i>Polystichum</i> set. 'Congestum'	C2
<i>Polystichum</i> set. 'Dahlem'	C2
<i>Polystichum</i> set. 'Herrenhausen'	C2
<i>Polystichum tsus-simense</i>	C2
<i>Pomaderris apetala</i>	C4
<i>Pomaderris apetala</i>	C5
<i>Pomaderris apetala</i>	P9
<i>Pomaderris elliptica</i>	C20
<i>Poncirus trifoliata</i>	C2
<i>Poncirus trifoliata</i>	P12
<i>Poncirus trifoliata</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>	C5
<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>	P12
<i>Populus koreana</i>	C20
<i>Populus koreana</i>	C25
<i>Populus nigra</i> 'Lombardy Gold'	C2
<i>Prumnopitys andina</i>	P9
<i>Prunus dulcis</i>	C2
<i>Prunus dulcis</i>	C25
<i>Prunus incisa</i> 'Mikinori'	P9
<i>Prunus laur.</i> 'Camellifolia'	P9
<i>Prunus rufa</i>	C5
<i>Pseudocydonia sinensis</i>	C5
<i>Pseudotaxus chienii</i>	C2
<i>Pseudotaxus chienii</i>	P9
<i>Pseudotsuga japonica</i>	C20
<i>Ptelea trifoliata</i>	P9
<i>Ptelea trifoliata</i> 'Aurea'	P9
<i>Pterocarya fraxinifolia</i>	P9
<i>Pterocarya rhoifolia</i>	P9
<i>Pterocarya stenoptera</i>	P9
<i>Pterostyrax corymbosa</i>	C1,5
<i>Pterostyrax corymbosa</i>	C5
<i>Pterostyrax corymbosa</i>	P9
<i>Pterostyrax hispida</i>	C2
<i>Pterostyrax hispida</i>	C25
<i>Pterostyrax hispida</i>	P9
<i>Pterostyrax leveillei</i>	P9
<i>Pycnanthemum muticum</i>	P9
<i>Pyrus pashia</i>	C25
<i>Pyrus pyrifolia</i> 'Honeyball'	C25
<i>Pyrus pyrifolia</i> 'Honeyball'	C50
<i>Quercus acutissima</i>	P11
<i>Quercus castaneifolia</i> 'Green Spire'	C20
<i>Quercus coccifera</i>	P9
<i>Quercus coccinea</i>	C2
<i>Quercus dentata</i>	C25
<i>Quercus ellipsoidalis</i>	C20

# Lowgardens Nurseries & Consultancy



Ecological and energetic cultivation and advice for optimal habitat

<i>Quercus galeanensis</i>	C25
<i>Quercus garryana</i>	C5
<i>Quercus ilex</i>	C5
<i>Quercus ilex</i>	P12
<i>Quercus macrocarpa</i>	C2
<i>Quercus macrocarpa</i>	C2
<i>Quercus marilandica</i>	C2
<i>Quercus marilandica</i>	C25
<i>Quercus nigra</i>	C2
<i>Quercus nigra</i>	P9
<i>Quercus nuttallii</i>	C5
<i>Quercus palustris</i> 'Compacta'	C20
<i>Quercus phellos</i>	C2
<i>Quercus phellos</i>	C5
<i>Quercus pontica</i>	C2
<i>Quercus pubescens</i>	C5
<i>Quercus robur</i> 'Fastig. Koster'	C20
<i>Quercus robur</i> 'Plumeau'	C20
<i>Quercus rubra</i> (Aurea-seedlings)	P9
<i>Quercus rysophylla</i> X <i>rubra</i>	P9
<i>Quercus shumardii</i>	C20
<i>Quercus</i> sp.	C2
<i>Quercus stellata</i>	C2
<i>Quercus suber</i>	C3
<i>Quercus texana</i>	C25
<i>Quercus texana</i>	C5
<i>Quercus turneri</i> 'Pseudoturneri'	C20
<i>Quercus virginiana</i>	C2
<i>Quercus</i> X <i>warei</i> 'Chimney Fire'	C7,5
<i>Quercus</i> X <i>warei</i> 'Long'	C20
<i>Quillaja saponaria</i>	P9
<i>Rhaphithamnus spinosus</i>	P9
<i>Rhederodendron macrocarpum</i>	C25
<i>Rhodotypos scandens</i>	P9
<i>Rhomneya coulterii</i>	C2
<i>Rhomneya coulterii</i>	C5
<i>Rhus aromatica</i>	P9



# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

Rhus chinensis	0+2
Rhus chinensis	C25
Rhus copallina	C2
Ribes malvaceum	C2
Ribes nigrum 'Ben Connan'	C2
Ribes nigrum 'Ben Connan'	C5
Ribes rubrum 'Jensen's Zwerg'	C1,5
Ribes X 'Nidigrolaria' ('Jostabes')	C5
Robinia pseud. 'Altdorf'	C25
Rodgersia aesculifolia	P9
Rodgersia sambucifolia	P9
Rosa blanda	C4
Rostrinucula dependens	P9
Rubus caesius	C5
Rubus fruticosus 'Black Satin'	P9
Rubus fruticosus 'Triple Crown'	P9
Rubus peltatus	C5
Rubus phoenicolasius	
Rubus phoenicolasius	C25
Rubus phoenicolasius	C5
Rubus spectabilis 'Olympid Double'	C2
Salix acutifolia 'Pendulifolia'	P9
Salix alba 'Chermesina'	C2
Salix alba 'Yelverton'	C2
Salix babylonica 'Tortuosa'	P9
Salix boydii	C2
Salix boydii	P9
Salix fargesii	C2
Salix finmarchica	P9
Salix gracilistyla 'Melanostachys'	P9
Salix gracilistyla 'Mount Aso'	C2
Salix gracilistyla 'Mount Aso'	C25
Salix gracilistyla 'Mount Aso'	P9
Salix grahamii 'Moorei'	P9
Salix humilis microphyllus	P9
Salix koriyanagi	C2
Salix koriyanagi	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Salix magnifica</i>	C2
<i>Salix moupinensis</i>	
<i>Salix moupinensis</i>	C7,5
<i>Salix nakamura</i> var. <i>yezoalpina</i>	P9
<i>Salix purpurea</i> 'Nancy Saunders'	C2
<i>Salix purpurea</i> 'Nancy Saunders'	P9
<i>Salix repens</i> 'Bergen'	P9
<i>Salix sachalinensis</i> 'Sekka'	C2
<i>Salix triandra</i> 'Semperflorens'	C2
<i>Salix triandra</i> 'Semperflorens'	P9
<i>Salvia microphylla</i> 'Hot Lips'	P9
<i>Salvia officinalis</i>	P9
<i>Sambucus nigra</i> 'Laciniata'	C2
<i>Sapindus mukorossii</i>	C2
<i>Sarcococca confusa</i>	C2
<i>Sarcococca confusa</i>	P9
<i>Sarcococca coriaca</i>	P9
<i>Sarcococca hookeriana</i> digyna	C2
<i>Sassafras albidum</i>	C5
<i>Saxegothea conspicua</i>	P9
<i>Saxegothea conspicua</i> 'Bull Fog Blue'	P9
<i>Schima wallichii</i>	C25
<i>Schinus latifolius</i>	C5
<i>Schisandra chinensis</i>	C2
<i>Schisandra chinensis</i>	C5
<i>Schisandra chinensis</i>	P9
<i>Schisandra sphenanthera</i>	C25
<i>Scutellaria incana</i>	P9
<i>Sequoia sempervirens</i> 'Glauca'	C2
<i>Sequoia sempervirens</i> 'Korbel'	C3
<i>Sequoia sempervirens</i> 'Les Barres'	C3
<i>Sequoia sempervirens</i> 'Pendula'	C2
<i>Sequoiadendron</i> g. 'Barabits Requiem'	C2
<i>Sequoiadendron</i> g. 'Pendulum'	C2
<i>Sequoiadendron giganteum</i> 'Bart's Green'	C2
<i>Sequoiadendron giganteum</i> 'Nanum'	C5
<i>Shepherdia argentea</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Sida hermaphrodita</i>	P9
<i>Sinocalycanthus chinensis</i>	P9
<i>Sinowilsonia henryi</i>	C20
<i>Sinowilsonia henryi</i>	C5
<i>Sisyrinchium striatum</i>	P9
<i>Solanum jasminoides</i> 'Aureovariegatum'	C7,5
<i>Sorbaria altaica</i>	C5
<i>Sorbaria altaica</i>	P9
<i>Sorbaria tomentosa</i> 'Sticks and Feathers'	C2
<i>Sorbaria tomentosa</i> 'Sticks and Feathers'	C25
<i>Sorbaria tomentosa</i> 'Sticks and Feathers'	C5
<i>Sorbaria tomentosa</i> var. <i>angustifolia</i>	C5
<i>Sorbus</i> (23400-seedling)	C2
<i>Sorbus</i> ('Chinese Lace' seedlings)	C5
<i>Sorbus</i> ('Chinese Lace'-seedling)	P9
<i>Sorbus</i> ('Sunshine'-seedling)	P9
<i>Sorbus aria</i> 'Quercifolia'	C2
<i>Sorbus caloneura</i>	P9
<i>Sorbus cashmiriana</i>	P12
<i>Sorbus discolor</i>	P9
<i>Sorbus fansipanensis</i>	C25
<i>Sorbus glabriuscula</i>	P9
<i>Sorbus glomurelata</i>	C2
<i>Sorbus hupehensis obtusa</i>	C25
<i>Sorbus hupehensis obtusa</i>	C5
<i>Sorbus intermedia</i>	1+1
<i>Sorbus keisslerii</i>	C1,5
<i>Sorbus keisslerii</i>	P9
<i>Sorbus megalocarpa</i>	C1
<i>Sorbus multijuga</i>	C2
<i>Sorbus munda</i>	C2
<i>Sorbus munda</i>	P15
<i>Sorbus olivacea</i>	P9
<i>Sorbus sargentiana</i>	C5
<i>Sorbus scalaris</i>	C2
<i>Sorbus scalaris</i>	P9
<i>Sorbus serotina</i>	C5

# Lowgardens Nurseries & Consultancy



Ecological and energetic cultivation and advice for optimal habitat

<i>Sorbus serotina</i>	P9
<i>Sorbus</i> sp. (Pink Fuits)	P9
<i>Sorbus subcuneata</i>	C2
<i>Sorbus torminalis</i>	C5
<i>Sorbus torminalis</i>	C5
<i>Sorbus vilmorinii</i>	P9
<i>Sorbus wilfordii</i>	C2
<i>Sorbus wilfordii</i>	C5
<i>Sorbus wilsoniana</i>	P9
<i>Spiraea bullata</i>	C2
<i>Spiraea fritschiana</i>	P9
<i>Spiraea japonica</i> 'Goldmound'	C2
<i>Spiraea japonica</i> 'Goldmound'	P9
<i>Spiraea media</i>	C2
<i>Spiraea media</i>	C5
<i>Spiraea miyabei</i>	C5
<i>Spiraea miyabei</i>	P9
<i>Spiraea thunb.</i> 'Mount Fuji'	P9
<i>Stachyurus himalaicus</i>	P9
<i>Staphylea pinnata</i>	P9
<i>Staphylea trifolia</i>	P9
<i>Stauntonia hexaphylla</i>	P9
<i>Stephanandra tanakae</i>	C2
<i>Stewartia monadelphica</i>	C25
<i>Stewartia pseudocamellia</i>	C1,5
<i>Stewartia pseudocamellia</i>	C20
<i>Stewartia serrata</i>	P9
<i>Stewartia</i> X <i>henryae</i>	P9
<i>Strobilanthes anisophyllus</i>	P9
<i>Styrax confusus</i>	P9
<i>Styrax japonicus</i>	C3
<i>Styrax japonicus</i>	P9
<i>Styrax japonicus</i> 'Pendulus'	P9
<i>Styrax japonicus</i> var. <i>fargesii</i>	P9
<i>Styrax obassia</i>	C25
<i>Styrax obassia</i>	P9
<i>Styrax serrulatus</i>	P9

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Styrax wuyuanensis</i>	P9
<i>Succisa pratensis</i>	P9
<i>Sycoparrotia semidecidua</i>	C25
<i>Sycopsis sinensis</i>	P7
<i>Syringa josiflexa</i> 'Anna Amhoff'	C5
<i>Syringa josiflexa</i> 'Anna Amhoff'	P9
<i>Syringa josikaea</i>	P9
<i>Syringa pubescens</i> ssp. <i>patula</i> 'De Belder'	C25
<i>Tamarix ramosissima</i> 'Hulsdonk White'	P9
<i>Taxodium ascendens</i> 'Prairie Sentinel'	C2
<i>Taxodium distichum</i>	C20
<i>Taxus baccata</i> 'Green Column'	C2
<i>Taxus chinensis</i>	C1,5
<i>Ternstroemia gymnanthera</i>	P9
<i>Tetradium daniellii</i>	C25
<i>Tetradium daniellii</i>	P9
<i>Tetradium glabrifolium</i>	C2
<i>Tetradium glabrifolium</i>	C25
<i>Teucrium flavum</i>	P9
<i>Teucrium marum</i>	P9
<i>Thalictrum aquilegifolium</i>	C2
<i>Thuja occ.</i> 'Amber Glow'	P9
<i>Thuja sutchuensis</i>	C5
<i>Thujopsis dolabrata</i> 'Variegata'	P9
<i>Thymus vulgaris</i>	P9
<i>Toona sin.</i> 'Flamingo'	C2
<i>Toona sin.</i> 'Flamingo'	C5
<i>Torreya californica</i>	C2
<i>Torreya californica</i>	C20
<i>Torreya californica</i>	C35
<i>Trachelospermum asiaticum</i> 'Tricolor'	P9
<i>Trachystemon orientalis</i>	P9
<i>Triarrhena lutarioriparia</i>	C25
<i>Tripterygium regelii</i>	C5
<i>Tristaniopsis laurina</i>	P9
<i>Trochodendron aralioides</i>	C5
<i>Tsuga canadensis</i>	C2

# Lowgardens Nurseries & Consultancy



## Ecological and energetic cultivation and advice for optimal habitat

<i>Tsuga canadensis</i>	C20
<i>Tsuga canadensis</i>	P9
<i>Tsuga canadensis</i> 'Gentsche White'	C1,5
<i>Tsuga canadensis</i> 'Popeleski'	C5
<i>Tsuga chinensis</i>	C20
<i>Tsuga chinensis</i>	P9
<i>Ulex gallii</i> 'Mizen Head'	P9
<i>Ulmus uyematsui</i>	C2
<i>Ulmus uyematsui</i>	C20
<i>Ulmus uyematsui</i>	C5
<i>Vaccinium arboreum</i>	P9
<i>Vaccinium</i> cor. 'Bluecrop'	C2
<i>Vaccinium</i> cor. 'Bonus'	C5
<i>Vaccinium macrocarpon</i> 'Ben Lear'	P9
<i>Vaccinium macrocarpon</i> 'Pilgrim'	C5
<i>Vaccinium myrsinites</i>	C2
<i>Viburnum betulifolium</i>	P9
<i>Viburnum foetidum</i> var. <i>rectangulatum</i>	C20
<i>Viburnum foetidum</i> var. <i>rectangulatum</i>	P9
<i>Viburnum furcatum</i>	C5
<i>Viburnum luzonicum</i>	P9
<i>Viburnum nudum</i>	P9
<i>Viburnum sargentii</i>	P9
<i>Viburnum setigerum</i>	C2
<i>Viburnum setigerum</i>	P9
<i>Viburnum suspensum</i>	C2
<i>Vincetoxicum nigrum</i>	C25
<i>Vincetoxicum nigrum</i>	C3
<i>Vitex agnus-castus</i> 'Alba'	P9
<i>Vitex agnus-castus</i> 'Silver Spire'	P9
<i>Vitis</i> 'Out of Tune'	P9
<i>Vitis</i> sp. ex.Taiwan	C25
<i>Vitis vinifera</i> 'Purpurea'	P9
<i>Weigela coraeensis</i>	C2
<i>Weigela coraeensis</i>	C25
<i>Weigela florida</i> 'Caricature'	P9
<i>Weigela</i> 'Looymansii Aurea'	P9

# Lowgardens Nurseries & Consultancy



**Ecological and energetic cultivation and advice for optimal habitat**

<i>Weigela middendorffiana</i>	C2
<i>Weigela subsessilis</i>	P9
<i>Wisteria sinensis</i>	C25
<i>Xylosma japonica</i>	C20
<i>Zanthoxylum alatum</i> var. <i>triphyllum</i>	C25
<i>Zanthoxylum beecheyanum</i>	P9
<i>Zanthoxylum fagara</i>	P9
<i>Zanthoxylum giraldii</i>	C1,5
<i>Zanthoxylum giraldii</i>	C5
<i>Zanthoxylum koreanum</i>	C5
<i>Zanthoxylum oxyophyllum</i>	C25
<i>Zanthoxylum planispinum</i>	P9
<i>Zanthoxylum schinifolium</i>	P9
<i>Zanthoxylum simulans</i>	C1,5
<i>Zanthoxylum simulans</i>	P9
<i>Zanthoxylum stenophyllum</i>	C5
<i>Zelkova serrata</i>	P11